

# LAMINATED WRITE-ON TIE-ON TAGS MS-ETF

*pre-cut, one piece markers, tie-on*

For attachment by cable ties to pipes, conduits and cables with larger diameters. A permanent marker is used to hand-write data on the tag over which an adhesive, transparent film is applied for protection.



CERTIFICATES 



2011/65/EU

# LAMINATED WRITE-ON TIE-ON TAGS MS-ETF

## *Technical characteristics*

Min operating temperature range	14 °F
Max operating temperature range	140 °F
Min application temperature	50 °F
UL94 class	V0
Halogen Free	yes
Material	Polypropylene
Precut	yes



# LAMINATED WRITE-ON TIE-ON TAGS MS-ETF

## *List of products*

### **MS-ETF**

Type	Height	Length	Height of the writing	Width of the writing	Pack qty
MS-ETF 4810-YE	0.55 in.	2.76 in.	1.89 in.	0.39 in.	100
MS-ETF 5515-YE	0.59 in.	3.94 in.	2.17 in.	0.59 in.	100
MS-ETF 8515-YE	0.59 in.	5.12 in.	3.35 in.	0.59 in.	100

*Used with tie*

Accessories

<b>CABLE TIES G</b>		
G100X2.5	G100X2.5/M	G100X2.5N
G100X2.5N/M	G1020X9.0	G1020X9.0N
G1030X12.6	G1030X12.6N	G120X2.5
G120X2.5N	G120X3.6	G120X3.6N
G120X4.8	G120X4.8N	G1220X9.0
G1220X9.0N	G140X2.5	G140X2.5/M
G140X2.5N	G140X2.5N/M	G140X3.6
G140X3.6/M	G140X3.6N	G140X3.6N/M
G150X3.6	G150X3.6N	G150X7.6
G150X7.6N	G160X2.5	G160X2.5/M
G160X2.5N	G160X2.5N/M	G160X4.8
G160X4.8N	G180X3.6	G180X3.6N
G190X4.8	G190X4.8/M	G190X4.8N
G190X4.8N/M	G200X2.5	G200X2.5/M
G200X2.5N	G200X2.5N/M	G200X3.6
G200X3.6/M	G200X3.6N	G200X3.6N/M
G200X4.8	G200X4.8/M	G200X4.8N
G200X4.8N/M	G200X7.6	G200X7.6N
G230X12.6	G230X12.6N	G250X2.8
G250X2.8N	G250X3.6	G250X3.6N
G250X4.8	G250X4.8/M	G250X4.8N
G250X4.8N/M	G250X7.6	G250X7.6N
G280X4.8	G280X4.8N	G300X2.8
G300X2.8N	G300X3.6	G300X3.6/M
G300X3.6N	G300X3.6N/M	G300X4.8
G300X4.8N	G300X7.6	G300X7.6N
G370X3.6	G370X3.6N	G370X4.8
G370X4.8N	G370X7.6	G370X7.6N
G380X12.6	G380X12.6N	G390X4.8
G390X4.8N	G430X4.8	G430X4.8N
G430X7.6	G430X7.6N	G430X9.0
G430X9.0N	G450X4.8	G450X4.8N
G480X12.6	G480X12.6N	G530X4.8
G530X4.8N	G530X7.6	G530X7.6N
G530X9.0	G530X9.0N	G53X4.8N
G580X12.6	G580X12.6N	G710X9.0
G710X9.0N	G730X12.6	G730X12.6N
G780X9.0	G780X9.0N	G80X2.4
G80X2.4/M	G80X2.4N	G80X2.4N/M
G830X9.0	G830X9.0N	G880X12.6
G880X12.6N	G90X2.4	G90X2.4N
G920X9.0	G920X9.0N	
<b>CABLE TIES G V0</b>		
G100X2.5/M V0	G140X2.5/M V0	G150X3.6 V0
G200X2.5/M V0	G200X4.8/M V0	G370X4.8 V0
G430X4.8 V0	G710X9.0 V0	G90X2.4 V0

